SAFETY DATA SHEET

Ocean D2 Diamond Encap Laundry Softener

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Ocean D2 Diamond Encap Laundry Softener

Product number A0936

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Last rinse additive; finishing agent

1.3. Details of the supplier of the safety data sheet

Supplier ABLE CLEANING AND HYGIENE SUPPLIES

27-33 THREXTON INDUS EST

WATTON NORFOLK IP25 6NG Tel: 01953 885 661

1.4. Emergency telephone number

Emergency telephone 01953 885 661 (7.30am - 4.30pm)

National emergency telephone

number

NHS Direct 111 (GB) National Poisons Information Service Tel: +44 344 892 0111 (UK) - Medical Professionals Only National Poisons Information Centre Tel: +353 (01) 809 2566 (Ireland) - Healthcare

Professionals only (24 hour service)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified
Health hazards Not Classified
Environmental hazards Not Classified

2.2. Label elements

Hazard statements NC Not Classified

Precautionary statements P262 Do not get in eyes, on skin, or on clothing.

Detergent labelling < 5% aliphatic hydrocarbons, < 5% cationic surfactants, < 5% perfumes, Contains Linalool, LIMONENE,

HEXYL CINNAMAL

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Linalool 0.045

CAS number: 78-70-6 EC number: 201-134-4 REACH registration number: 01-

2119474016-42-0000

Classification

Skin Irrit. 2 - H315 Eye Irrit. 2 - H319

Ocean D2 Diamond Encap Laundry Softener

d-LIMONENE 0.0292

2119529223-47-XXXX

CAS number: 5989-27-5 EC number: 227-813-5 REACH registration number: 01-

M factor (Acute) = 1 M factor (Chronic) = 1

Classification

Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

HEXYL CINNAMAL 0.012

CAS number: 101-86-0 EC number: 202-983-3

M factor (Acute) = 1

Classification

Skin Sens. 1 - H317 Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411

COUMARIN 0.004

CAS number: 91-64-5 EC number: 202-086-7

Classification

Acute Tox. 4 - H302 Skin Sens. 1B - H317

EUGENOL 0.004

CAS number: 97-53-0 EC number: 202-589-1

Classification

Eye Irrit. 2 - H319 Skin Sens. 1B - H317

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Non-volatile liquid product.

Ingestion Never give anything by mouth to an unconscious person. Do not induce vomiting. Promptly get affected

person to drink large volumes of water to dilute the swallowed chemical. Give milk instead of water if

readily available. Get medical attention immediately.

Skin contact Remove contaminated clothing. Rinse immediately with plenty of water. Get medical attention promptly if

symptoms occur after washing.

Eye contact Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get

medical attention immediately. Continue to rinse.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation This is unlikely to occur but symptoms similar to those of ingestion may develop.

Ingestion May cause stomach pain or vomiting.

Skin contact Prolonged skin contact may cause redness and irritation.

Ocean D2 Diamond Encap Laundry Softener

Eye contact Irritation of eyes and mucous membranes.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations. If in doubt, get medical attention promptly.

SECTION 5: Firefighting measures

5.1. Extinguishing media

5.2. Special hazards arising from the substance or mixture

Specific hazards No unusual fire or explosion hazards noted.

Hazardous combustion products Does not decompose when used and stored as recommended.

5.3. Advice for firefighters

Protective actions during

If risk of water pollution occurs, notify appropriate authorities. Control run-off water by containing and

keeping it out of sewers and watercourses.

Special protective equipment for

firefighters

firefighting

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions Spillages or uncontrolled discharges into watercourses must be reported immediately to the

Environmental Agency or other appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb in vermiculite, dry sand or earth and place into containers. Flush spilled material into suitable

retaining areas or container with large quantities of water. Inform authorities if large amounts are involved.

6.4. Reference to other sections

Reference to other sections Wear protective clothing as described in Section 8 of this safety data sheet. For waste disposal, see

section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid spilling. Wear suitable protective equipment for prolonged exposure and/or high concentrations of

vapours, spray or mist. Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep above the chemical's freezing point to avoid rupturing the container. Store in tightly-closed, original

container.

Storage class Chemical storage.

7.3. Specific end use(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

propan-2-ol

Long-term exposure limit (8-hour TWA): WEL 400 ppm 999 mg/m³ Short-term exposure limit (15-minute): WEL 500 ppm 1250 mg/m³

Ocean D2 Diamond Encap Laundry Softener

WEL = Workplace Exposure Limit.

Fatty acids, C16-18 (even numbered) and C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized (CAS: 91995-81-2)

DNEL Workers - Dermal; Long term systemic effects: 312.5 mg/kg/day

Workers - Inhalation; Long term systemic effects: 44 mg/m³

General population - Oral; Long term systemic effects: 7.5 mg/kg/day General population - Inhalation; Long term systemic effects: 13 mg/m³ General population - Dermal; Long term systemic effects: 187.5 mg/kg/day

PNEC - Fresh water; 0.065 mg/l

marine water; 0.0065 mg/lSediment; 141 mg/kgSoil; 574 mg/kgSTP; 2.96

propan-2-ol (CAS: 67-63-0)

DNEL Workers - Dermal; Long term systemic effects: 888 mg/kg bw/day

Workers - Inhalation; Long term systemic effects: 500 mg/m³ Consumer - Dermal; Long term systemic effects: 319 mg/kg bw/day Consumer - Inhalation; Long term systemic effects: 89 mg/m³ Consumer - Oral; Long term systemic effects: 26 mg/kg bw/day

PNEC - Fresh water; 140.9 mg/l

- marine water; 140.9 mg/l - Intermittent release; 140.9 mg/l

STP; 2251 mg/lSediment; 552 mg/kgSoil; 28 mg/kg

8.2. Exposure controls

Protective equipment



Appropriate engineering controls No specific ventilation requirements.

Eye/face protection The following protection should be worn: Chemical splash goggles.

Hand protection No hand protection required when using product. Hand protection is advisable for bulk handling or

manufacture of this product.

Other skin and body protection Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures Do not eat, drink or smoke when using this product.

Respiratory protection
No specific recommendations. Respiratory protection must be used if the airborne contamination exceeds

the recommended occupational exposure limit.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Opaque liquid.

Colour Pink.

Odour Perfume.

pH (diluted solution): 7.4 1%

Relative density ~ 1.00 @ 20°C

Ocean D2 Diamond Encap Laundry Softener

Soluble in water.

9.2. Other information

Other information Not known.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability No particular stability concerns.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions No potentially hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid Avoid contact with the following materials: Oxidising agents. Reducing agents.

10.5. Incompatible materials

Materials to avoid Strong oxidising agents. Strong reducing agents.

10.6. Hazardous decomposition products

Hazardous decomposition products

Thermal decomposition or combustion products may include the following substances: Oxides of the

following substances: Carbon. Nitrogen.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

General information This product has low toxicity. Only large quantities are likely to have adverse effects on human health.

Inhalation This is unlikely to occur but symptoms similar to those of ingestion may develop.

Ingestion Liquid irritates mucous membranes and may cause abdominal pain if swallowed.

Skin contact Slightly irritating.

Eye contact May cause severe eye irritation.

Acute and chronic health hazards This product may cause skin and eye irritation. Repeated exposure may cause chronic eye irritation. Mild

dermatitis, allergic skin rash.

SECTION 12: Ecological information

Ecotoxicity The product is not expected to be hazardous to the environment.

12.1. Toxicity

Toxicity Not considered toxic to fish.

12.2. Persistence and degradability

Persistence and degradability The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down

in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request,

or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

12.4. Mobility in soil

Mobility The product is non-volatile.

12.5. Results of PBT and vPvB assessment

Ocean D2 Diamond Encap Laundry Softener

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal Authority.

EURAL Code

SECTION 14: Transport information

General Not regulated.

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

Transport labels

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on

classification, labelling and packaging of substances and mixtures (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Revision comments Revision is to include emergency telephone number

Revision date 14/02/2019

Revision 4

Supersedes date 06/12/2018

Ocean D2 Diamond Encap Laundry Softener

SDS number 7985/22410

Hazard statements in full H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H315 Causes skin irritation. H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

 $\ensuremath{\mathsf{H410}}$ Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.