SAFETY DATA SHEET

Ocean P6 Professional Laundry Softener

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier		
Product name	Ocean P6 Professional Laundry Softener	
Product number	A0935	
1.2. Relevant identified uses of the	e substance or mixture and uses advised against	
Identified uses	Last rinse additive; finishing agent	
1.3. Details of the supplier of the s	afety data sheet	
Supplier	ABLE CLEANING AND HYGIENE SUPPLIES 27-33 THREXTON INDUS EST WATTON NORFOLK IP25 6NG Tel: 01953 885 661	
1.4. Emergency telephone number		
Emergency telephone	01953 885 661 (7.30am - 4.30pm)	
National emergency telephone	NHS Direct 111 (GB) National Poisons Information Service Tel:	

Emergency telephone	01953 885 661 (7.30am - 4.30pm)
National emergency telephone number	NHS Direct 111 (GB) National Poisons Information Service Tel: +44 344 892 0111 (UK) - Medical Professionals Only National Poisons Information Centre Tel: +353 (01) 809 2566 (Ireland) - Healthcare Professionals only (24 hour service)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture		
Classification (EC 1272/2008)		
Physical hazards	Not Classified	
Health hazards	Not Classified	
Environmental hazards	Not Classified	
2.2. Label elements		
Hazard statements	NC Not Classified	
Precautionary statements	P262 Do not get in eyes, on skin, or on clothing.	
Detergent labelling	< 5% aliphatic hydrocarbons, < 5% cationic surfactants, < 5% perfumes, Contains HEXYL CINNAMAL	

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures		
HEXYL CINNAMAL		0.04
CAS number: 101-86-0	EC number: 202-983-3	
M factor (Acute) = 1		
Classification		
Skin Sens. 1 - H317		
Aquatic Acute 1 - H400		
Aquatic Chronic 2 - H411		

HYDROXYCITRONELLAL			0.01
CAS number: 107-75-5	EC number: 203-518-7		
Classification Eye Irrit. 2 - H319			
Skin Sens. 1B - H317			
Linalool			0.009
CAS number: 78-70-6	EC number: 201-134-4	REACH registration number: 01- 2119474016-42-0000	
Classification Skin Irrit. 2 - H315 Eye Irrit. 2 - H319			
BENZYL SALICYLATE			0.0075
CAS number: 118-58-1	EC number: 204-262-9		
Classification Eye Irrit. 2 - H319			
Skin Sens. 1B - H317 Aquatic Chronic 3 - H412			
GERANIOL			0.004
CAS number: 106-24-1	EC number: 203-377-1		
Classification Skin Irrit. 2 - H315 Eye Dam. 1 - H318			
Skin Sens. 1 - H317			
d-LIMONENE			0.00385
CAS number: 5989-27-5	EC number: 227-813-5	REACH registration number: 01- 2119529223-47-XXXX	
M factor (Acute) = 1	M factor (Chronic) = 1		
Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410			
CITRONELLOL			0.0020
CAS number: 106-22-9	REACH registration number: 01- 2119453995-23-0000		
Classification			
Skin Irrit. 2 - H315			
Eye Irrit. 2 - H319 Skin Sens. 1B - H317			

EUGENOL	0.0015
CAS number: 97-53-0	EC number: 202-589-1
Classification	
Eye Irrit. 2 - H319	
Skin Sens. 1B - H317	
COUMARIN	0.00075
CAS number: 91-64-5	EC number: 202-086-7
Classification	
Acute Tox. 4 - H302	
Skin Sens. 1B - H317	
The full text for all hazard sta	tements is displayed in Section 16.
Composition comments	No classified ingredients, or those having occupational exposure limits, present above the levels of disclosure.
SECTION 4: First aid mea	isures
4.1. Description of first aid me	easures
Inhalation	Non-volatile liquid product.
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Promptly get affected person to drink large volumes of water to dilute the swallowed chemical. Give milk instead of water if readily available. Get medical attention immediately.
Skin contact	Remove contaminated clothing. Rinse immediately with plenty of water. Get medical attention promptly if

Skin contact Remove contaminated clothing. Rinse immediately with plenty of water. Get medical attention promptly if symptoms occur after washing.

Eye contactRemove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get
medical attention immediately. Continue to rinse.

4.2. Most important symptoms and effects, both acute and delayed

	· · · · · · · · · · · · · · · · · · ·
Inhalation	This is unlikely to occur but symptoms similar to those of ingestion may develop.
Ingestion	May cause stomach pain or vomiting.
Skin contact	Prolonged skin contact may cause redness and irritation.
Eye contact	Irritation of eyes and mucous membranes.
4.3. Indication of any immediate medical attention and special treatment needed	
Notes for the doctor	No specific recommendations. If in doubt, get medical attention promptly.

SECTION 5: Firefighting measures

5.1. Extinguishing media		
Suitable extinguishing media	Use fire-extinguishing media suitable for the surrounding fire.	
5.2. Special hazards arising from	the substance or mixture	
Specific hazards	No unusual fire or explosion hazards noted.	
Hazardous combustion products	Does not decompose when used and stored as recommended.	
5.3. Advice for firefighters		
Protective actions during firefighting	If risk of water pollution occurs, notify appropriate authorities. Control run-off water by containing and keeping it out of sewers and watercourses.	
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.	

SECTION 6: Accidental relea	ase measures	
	ctive equipment and emergency procedures	
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.	
6.2. Environmental precautions		
Environmental precautions	Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.	
6.3. Methods and material for co	ontainment and cleaning up	
Methods for cleaning up	Absorb in vermiculite, dry sand or earth and place into containers. Flush spilled material into suitable retaining areas or container with large quantities of water. Inform authorities if large amounts are involved.	
6.4. Reference to other sections	i de la constante de la constan	
Reference to other sections	Wear protective clothing as described in Section 8 of this safety data sheet. For waste disposal, see section 13.	
SECTION 7: Handling and s	torage	
7.1. Precautions for safe handlin	ıg	
Usage precautions	Avoid spilling. Wear suitable protective equipment for prolonged exposure and/or high concentrations of vapours, spray or mist. Avoid contact with skin and eyes.	
7.2. Conditions for safe storage,	including any incompatibilities	
Storage precautions	Keep above the chemical's freezing point to avoid rupturing the container. Store in tightly-closed, original container.	
Storage class	Chemical storage.	
7.3. Specific end use(s)		
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.	
SECTION 8: Exposure contr	ols/Personal protection	
8.1. Control parameters		
Occupational exposure limits		
propan-2-ol		
Long-term exposure limit (8-hour TWA): WEL 400 ppm 999 mg/m³ Short-term exposure limit (15-minute): WEL 500 ppm 1250 mg/m³ WEL = Workplace Exposure Limit.		
Fatty acids, C16-18 (even numbered) and C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized (CAS: 91995-81-2)		
DNEL	Workers - Dermal; Long term systemic effects: 312.5 mg/kg/day Workers - Inhalation; Long term systemic effects: 44 mg/m ³ General population - Oral; Long term systemic effects: 7.5 mg/kg/day General population - Inhalation; Long term systemic effects: 13 mg/m ³ General population - Dermal; Long term systemic effects: 187.5 mg/kg/day	
PNEC	- Fresh water; 0.065 mg/l - marine water; 0.0065 mg/l - Sediment; 141 mg/kg - Soil; 574 mg/kg - STP; 2.96	
	propan-2-ol (CAS: 67-63-0)	

propan-2-ol (CAS: 67-63-0)

DNEL	Workers - Dermal; Long term systemic effects: 888 mg/kg bw/day Workers - Inhalation; Long term systemic effects: 500 mg/m³ Consumer - Dermal; Long term systemic effects: 319 mg/kg bw/day Consumer - Inhalation; Long term systemic effects: 89 mg/m³ Consumer - Oral; Long term systemic effects: 26 mg/kg bw/day
PNEC	- Fresh water; 140.9 mg/l - marine water; 140.9 mg/l - Intermittent release; 140.9 mg/l - STP; 2251 mg/l - Sediment; 552 mg/kg - Soil; 28 mg/kg
8.2. Exposure controls	
Protective equipment	
Appropriate engineering controls	No specific ventilation requirements.
Eye/face protection	The following protection should be worn: Chemical splash goggles.
Hand protection	No hand protection required when using product. Hand protection is advisable for bulk handling or manufacture of this product

Appropriate engineering controls	No specific ventilation requirements.
Eye/face protection	The following protection should be worn: Chemical splash goggles.
Hand protection	No hand protection required when using product. Hand protection is advisable for bulk handling or manufacture of this product.
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact.
Hygiene measures	Do not eat, drink or smoke when using this product.
Respiratory protection	No specific recommendations. Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties	
Appearance	Opaque liquid.
Colour	Pink.
Odour	Perfume.
рН	pH (diluted solution): 6-8 1%
Relative density	~ 0.99 @ 20°C
Solubility(ies)	Soluble in water.
9.2. Other information	
Other information	Not known.

SECTION 10: Stability and reactivity

10.1. Reactivity			
Reactivity	There are no known reactivity hazards associated with this product.		
10.2. Chemical stability			
Stability	No particular stability concerns.		
10.3. Possibility of hazardous reactions			
Possibility of hazardous reactions	No potentially hazardous reactions known.		
10.4. Conditions to avoid			
Conditions to avoid	Avoid contact with the following materials: Oxidising agents. Reducing agents.		

10.5. Incompatible materials			
Materials to avoid	Strong oxidising agents. Strong reducing agents.		
10.6. Hazardous decomposition products			
Hazardous decomposition products	Thermal decomposition or combustion products may include the following substances: Oxides of the following substances: Carbon. Nitrogen.		

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Inhalation	This is unlikely to occur but symptoms similar to those of ingestion may develop.	
Ingestion	Liquid irritates mucous membranes and may cause abdominal pain if swallowed.	
Skin contact	Slightly irritating.	
Eye contact	May cause severe eye irritation.	
Acute and chronic health hazards	This product may cause skin and eye irritation. Repeated exposure may cause chronic eye irritation. Mild dermatitis, allergic skin rash.	

Toxicological information on ingredients.

Fatty acids, C16-18 (even numbered) and C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized

Acute toxicity - oral	
Acute toxicity oral (LD₅₀ mg/kg)	5,000.0
Species	Rat
ATE oral (mg/kg)	5,000.0
Acute toxicity - dermal	
Acute toxicity dermal (LD₅₀ mg/kg)	2,001.0
Species	Rat
ATE dermal (mg/kg)	2,001.0

SECTION 12: Ecological information

Ecotoxicity

Toxicity

The product is not expected to be hazardous to the environment.

12.1. Toxicity

Not considered toxic to fish.

Ecological information on ingredients.

Fatty acids, C16-18 (even numbered) and C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized

Acute aquatic toxicity	
Acute toxicity - fish	LC₅₀, 96 hours: >1 mg/l, Fish
Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: 10000 mg/l, Daphnia magna

12.2. Persistence and degradability

Persistence and degradability The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Bioaccumulative potential	No data available on bioaccumulation.	
12.4. Mobility in soil		
Mobility	The product is non-volatile.	
12.5. Results of PBT and vPvB as	ssessment	
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.	
12.6. Other adverse effects		
Other adverse effects	None known.	
SECTION 13: Disposal consid	lerations	
13.1. Waste treatment methods		
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.	
EURAL Code		
SECTION 14: Transport inform	nation	
General	Not regulated.	
14.1. UN number		
Not applicable.		
14.2. UN proper shipping name		
Not applicable.		
14.3. Transport hazard class(es)		
Transport labels No transport warning sign required.		
14.4. Packing group		
Not applicable.		
14.5. Environmental hazards		
Environmentally hazardous substance/marine pollutant No.		
14.6. Special precautions for user		
Not applicable.		
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code		
Transport in bulk according to Annex II of MARPOL 73/78 and	Not applicable.	

the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

I

Ocean P6 Professional Laundry Softener

Revision comments	Revision to include full Fragrance Allergen composition
Revision date	21/01/2020
Revision	5
Supersedes date	12/02/2019
SDS number	7580/22473
Hazard statements in full	 H226 Flammable liquid and vapour. H302 Harmful if swallowed. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.